



Detail Produk Panasonic KX-MB2090CX



Specifications

Model	KX-MB2090CX
Printing Process	Monochrome Laser
LCD Screen	16 digits / 2 lines (Backlit LCD)
Print	<p>Print Speed: Up to 26 ppm (A4)Print Resolution: 600 x 600 dpi</p> <p>Emulation: GDI</p> <p>Supported OS: Windows® XP, Windows Vista®, Windows® 7, Windows® 8, Windows Server® 2008, Windows Server® 2012, Mac OS X 10.5 – 10.8, Linux® *4</p> <p>*4 Supported Linux distribution: Red Hat® Enterprise Linux® Desktop 5/6, Ubuntu® 10/11/12/13. Driver is provided via web download.</p> <ul style="list-style-type: none"> • Windows, Windows Vista, Windows Server are registered trademarks of Microsoft Corporation in the United States and/or other countries. • Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. • Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. • Red Hat and Red Hat Enterprise Linux are registered trademarks or trademarks of Red Hat, Inc. in the United States and/or other countries. • Ubuntu is a registered trademark or a trademark of Canonical Ltd. in the U.S. and other countries.
Copy	<p>Copy Speed *5: Up to 26 cpm (A4)Copy Resolution: Up to 600 x 600 dpi</p> <p>Multi-Copy: 99 pages</p> <p>Reduction / Enlargement: 25 % – 400 % (1 % step)</p> <p>Copy Function: Quick ID, N-in-1, Separate N-in-1, Poster, Image Repeat, Edge/Margin</p> <p>*5 Continuous copy of a single original.</p>
Scan	<p>Color / Mono Scan: Yes / YesScan Resolution: Up to 600 x 1200 dpi (Optical) / Up to 19200 x 19200 dpi (Interpolated)</p> <p>Scan Function: Scan to PC / Email address / FTP / SMB</p> <p>Supported OS: Windows® XP, Windows Vista®, Windows® 7,Windows® 8, Mac OS X 10.5 – 10.8, Linux® *4</p> <p>*4 Supported Linux distribution: Red Hat® Enterprise Linux® Desktop 5/6,</p>

	Ubuntu® 10/11/12/13. Driver is provided via web download.
Fax	Modem Speed: 33.6 kbps – 2.4 kbps with automatic fallback Memory Size *6: 3.5 MB (Reception: Approx. 110 pages / Transmission: Approx. 150 pages) Phonebook: 100 + 6 stations One-Touch Dial: 6 stations Fax to Email: Yes Web Fax Preview: Yes *6 Based on the ITU-T No.1 Test Chart in standard resolution.
Paper size	A4, Letter, Legal *1, B5(JIS/ISO), 16K, 216 x 330 mm *1, 216 x 340 mm *1*1 Manual input tray only.
Paper Capacity	250 sheets + 1 sheet manual tray
Auto Sheet Feeder	20 Sheets
Memory Size	32 MB
Computer Connection	100Base-TX / 10Base-T, USB
Power Consumption	Maximum: Approx. 1000 W, Copy: Approx. 500 W, Ready: Approx. 65W, Sleep: Less than 2.7 W *2*2 For KX-MB2090: When only USB interface is connected and LAN is OFF mode. Power consumption in sleep mode depends on machine condition.
Consumables	Toner cartridge: KX-FAT411 (2,000 pages, ISO/IEC 19752 standard) Drum cartridge: KX-FAD412 (6,000 pages)
Dimension	420 x 432 x 305 mm *3*3 Excluding Handset.
Weight	Approx 12kg
* Features, Package Content and Specifications are subject to change without prior notification.*	