

KX-UT113

Panasonic KX-UT113B SIP Phone

The **Panasonic KX-UT113B** is a PoE enabled SIP deskphone offering Wideband audio and 2 SIP accounts. The large 242x55 pixel LCD is large enough to see critical user applications and makes this phone easy to use and install. The KX-UT113B offers 100 personal phonebook entries with up to 5 numbers for each entry. At an attractive price point, the Panasonic KX-UT113B is a fantastic entry-level phone for most office environments.

Panasonic KX-UT113B Overview

The UT Series features wide-band, high-definition voice for crisp, precise sound quality whether delivered via the handset, speakerphone or optional headset. An Echo Cancellation feature combined with an expanded acoustic chamber further enhances sound quality. All phones in the series feature wideband-compliant, hearing aid compatible handsets along with built-in, high-quality speakers and microphones.

Connecting UT Series phones to select, hosted services opens the door to integration with a number of applications. Customer-facing employees in sales or other service functions can then utilize compatible desktop and web-based call-control applications and service-enhanced features, leading to better, more efficient customer service.

Like all phones in the Panasonic SIP lineup, the UT Series is currently certified on BroadSoft® BroadWorks® and Digium® Asterisk® platforms. Panasonic SIP phones are a proven, cost-effective endpoint solution for small to mid-size companies utilizing the latest in Hosted and Open Source PBX technology.

second device to the All UT Series mod adaptors or electric	eximizing ROI. Select the network without the lels are PoE ready, so that is a selection of the selection.	et models feature he time and expe to you won't need y-saving Eco mo	a second data por nse of running ad an electrical supp de feature lets you	t, so you can connec ditional Ethernet cab ly thus eliminating
me of the phone.				

Panasonic KX-UT113B Features:

- HD Voice and PoE Enabled
- Support for 2 SIP Accounts
- • 242 x 55 pixel (3 lines) Monochrome Backlit LCD
- • 2.5mm Headset Port
- Certified for Use with BroadSoft® BroadWorks® and Digium® Asterisk®
- Extensive CODEC support: G.711μ-law, G.711A-law, G722, G.726, G729a
- Environmentally Friendly—Power Consumption 1W in ECO Mode
- • Two-year Limited Warranty