



## **Telephone KX-TG6881**

General	Colour	B[Black]
	Handset (Quantity)	1
	Frequency	1.9 GHz
	Frequency Range	1.88 GHz - 1.90 GHz
	Number of Channels	120 Channels
	System	DECT
	GAP	Y
	Number of Phone Lines	1.0
	Multiple Handsets Capability	Up to 6 Handsets
	Multiple Base Units	-
	Capability	
	LCD Language	English,
	LCD Language	Arabic,
	LCD Language	Persian
	Key Finder Compatible	Y
	Key Finder Compatible	* Please contact Panasonic or authorised
		sales department for availability of "key
		finder" in your area.
	Power Back-Up Operation	Y
	Power Back-Up Operation	* The built-in power unit supplies power to
		base unit to continue conversation in the
	D D 1 H 0	case of a power outage.
	Power Back-Up Operation	After running out of power unit in base unit,

		the handset supplies temporary power to
		base unit.
	Baby Monitor	-
	Night Mode	Y
	Clear Sound	Y
	SMS	-
	Call Restriction	Y
	Distress Call	-
	Low Radio Power	Y
	One Touch Eco Mode	Y
	Repeater Available	Y
Link-to-Cell	Link-to-Cell	-
	Mobile Registration Number	-
	Ring as Cell Mode	-
	Text Message Alert	-
	USB Charging	-
Caller ID/	Caller ID	Y
Phonebook	Caller ID	* Requires subscription to Caller ID and / or
		SMS service offered by your telephone
		company.
	Caller ID Memory	50 items
	Caller ID Memory	* Requires subscription to Caller ID and / or
		SMS service offered by your telephone
		company.
	Call Waiting Caller ID	Y
	Call Waiting Caller ID	* Requires subscription to Caller ID and / or
		SMS service offered by your telephone
	C ( P: /P: ID	company.
	Category Ringer / Ringer ID	-
	Category Display Colours	-
	Talking Caller ID (Handset)	-
	Talking Caller ID (Base Unit)	-
	Talking Caller ID Language	- V/(50
	Incoming Call Barring	Y(50 numbers)
	Incoming Call Barring	* Requires subscription to Caller ID and / or
		SMS service offered by your telephone
	Voice Mail	company.
		Y
	Voice Mail Alert (Light-Up Indicator on Handset)	-
		100 items
	Handset Phonebook Memory (Name/Number)	100 Items
	Handset Phonebook Memory	(16char/24digits)
	(Name/Number)	(10cmai/2+digits)
	(Traffic/Traffice)	

	Base Unit Phonebook Memory	_
	(Name/Number)	
	Shared Phonebook	
	Phonebook Copy (Handset to	Y
	Handset)	•
	Phonebook Copy from	-
	Cellular Phone via Bluetooth	
	Speed Dial (Handset)	Y
	Speed Dial (Base Unit)	-
	Chain Dial	Y(Handset)
Handset	LCD	1.8 inch
	LCD	FullDot Monochrome
	LCD	103x65 pixels
	LCD Backlight Colour	White
	Illuminated Keypad	Amber
	Speakerphone (Volume Steps)	Y(6-step)
	Icon Operation (Number of	Y(6)
	Icons)	. ,
	Ringer Pattern (Tone+Melody)	40(10+30)
	Polyphonic Ringer Melody	32 chord
	Ringer Volume Steps	6+OFF
	Receiver Volume Steps	4.0
	Redial Memory	10(Name & Number)
	Redial Memory	* It requires registration in the phonebook to
		display the name.
	Digits of Redial Number	24.0
	Auto Redial	-
	Ringer/ Charger Indicator	Y(Amber)
	(Colour)	
	Smart Function Key	Y
	Noise Reduction	Y
	Customized Sound System	Treble/Bass
	(Equalizer)	
	Conference Call with Outside	-
	Line	
	Call Share	-
	Intercom (Handset to Base	-
	Unit)	
	Intercom (Handset to Handset)	- V
	Any Key Answer	Y
	Hold	Y
	Mute	Y
ĺ	Flash	Y
	Clock	Y

	Calendar/Scheduler	-
	Alarm (Wake-up / Memo	Y/Y
	alarm)	
	Advanced Alarm (A day of the	Y/Y
	week / Snooze)	
	Key Lock	Y
	Bluetooth Headset Capability	-
	Headset Jack	-
	Reversible Handset Charging	-
	Secure Grip	-
	Short Stroke Key	Y
	Wall Mountable (Charger)	-
Base Unit	Dial Keypad	-
	Corded Handset (Power	-
	Outage Operation)	
	Display	-
	Speakerphone (Volume Steps)	-
	Ringer Pattern (Tone+Melody)	-
	Ringer Volume Steps	-
	Redial Memory	-
	Auto Redial	-
	Hold	-
	Mute	-
	Flash	-
	Handset Locator	Y
	Wall Mountable	-
Answering	Answering System	-
System	Total Recording Time	-
	Fast-Forwarding and	-
	Rewinding Message	
	Audible Message Alert	-
	Message Alert (Light-Up	-
	Indicator on Handset)	
	New Message Notification by	-
	a Call	
	Announcement Language of	-
	New Message Notification	
	New Message Notification by an SMS	-
	Visual Message List (Handset LCD)	-
	Recording Conversation	
	Speaker Volume (Base Unit	_
	Speaker)	
	Spound)	

	Call screening (Handset)	_
	Call screening (Base Unit)	
_	Language of Pre-recorded	
	Greeting Message	
_	Remote Operation from	
	Handset	
_	Remote Operation from	
	Outside (DTMF)	
_	Toll Saver (New Messages	
	Recorded / No New Message)	
	Key Finder Included	Y(1)
	(Quantity)	1(1)
	Repeater Included	_
	Belt Clip Included	_
	Optional Handset	-
_	Rechargeable Battery	Ni-MH(AAA x 2)
_	Talk Time	Up to 15 hours
_	Standby Time	Up to 170 hours
_	Charge Time	About 7 hours
	Standby Power Consumption	0.6 W
Consumption	J I	
	Base Dimensions (W x D x H)	$107 \text{ mm} \times 86 \text{ mm} \times 77 \text{ mm}$
_	Handset Dimensions (W x D x	48 mm × 29 mm × 164 mm
	H)	
_	Charger Dimensions (W x D x	-
	H)	
_	Key Finder Dimensions (W x	73 mm × 30 mm × 11 mm
	D x H)	
_	Repeater Dimensions (W x D	-
	x Ĥ)	
_	Base Weight	Approx. 98 g
_	Handset Weight with Battery	Approx. 129 g
_	Charger Weight	-
	Key Finder Weight	Approx. 17 g

